Fast. Efficient. Compact.

Automatic Stacking Solution



Advantages

Space-Saving Design

Features the most compact stacker on the market, maximizing efficiency without compromising floor space.

Medium to Large Formats

Excels with medium to large corrugated and micro-flute straightline boxes and envelopes.

Enhanced Functionality

Available with the APS autobottom manual batch inversion module—consult your sales representative for expert advice.




v2501.en 56

Fast. Efficient. Compact.

Automatic Stacking Solution

Standard Configuration



\$215,000 USD*



5-10 Minute Changeovers





- Best suited for medium to large corrugated and micro-flute straight-line boxes and envelopes.
- Can also run folding carton and corrugated 4/6 corner.







 Compatible with 3rd-party banding and strapping machines i.e., SIG COR 850 or Mosca UCB-2



- · Can run some autobottom boxes.
- APS autobottom manual batch inversion module available. Consult with your sales representative.



*Pricing is approximate and subject to change, contact your area sales manager for a personalized quote. Actual productivity and time to payback depend on many factors unique to each client.



57




Fast. Efficient. Compact.

Automatic Stacking Solution

Batch Inversion Configuration

EVERIO, IN2XL Box Turner, BEV and APS Manual Inversion Module



\$290,000 USD*





+50-100%



Up to 20 Stacks per Minute







- Best suited for medium to large corrugated and micro-flute straight-line boxes and envelopes.
- Can also run folding carton and corrugated 4/6 corner.







 Compatible with 3rd-party banding and strapping machines i.e., SIG COR 850 or Mosca UCB-2



- Can run some autobottom boxes.
- APS autobottom manual batch inversion module available. Consult with your sales representative.



*Pricing is approximate and subject to change, contact your area sales manager for a personalized quote. Actual productivity and time to payback depend on many factors unique to each client.





v2501.en 58

Automatic Stacking Solution










BOX AND ENVELOPE DIMENSIONS

Width*	Min.	200 mm / 8 in
	Max.	850 mm / 33.5 in
Length*	Min.	200 mm / 8 mm
	Max.	1000 mm / 39.5 in
Stack Height**	Min.	-
	Max.	300 mm / 12 in

*Dimensions reflect how the box/envelope enters the EVERIO.

**Stack height before banding and compression.

Other box dimensions are possible upon analysis. Reach out to your regional sales manager for an analysis to determine a modular configuration that will work with your product mix.





Speed. Efficiency. Productivity.

For more information contact your IMPACK Sales Representative.